



Tegular and Square Lay-In - Wood Looks smooth texture



CAD/Revit® drawings at: armstrongceilings.com/cadrevit



Lyra PB Tegular in Brown Sugar Walnut

Lyra PB Tegular panels in Toffee Chestnut with Suprafine® XL 9/16" suspension system

Lyra® PB wood-look panels provide the natural beauty of large format wood ceilings with superior sound absorption and sustainability attributes without the expense.

## **KEY SELECTION ATTRIBUTES**

- · Superior sound absorption: Lyra PB panels provide up to 0.95 NRC
- · Lyra PB panels are part of the Sustain® portfolio, and meet the most stringent industry sustainability compliance standards today
- 8 wood-look visuals are now part of the Lyra PB portfolio
- · Mold- and mildew-resistant surface
- · Lightweight panels offer fast and easy installation on standard 15/16" and 9/16" suspension system
- · Sag-resistant: perfect for highhumidity applications

- Axiom® Trim options available for cloud applications
- CleanAssure<sup>™</sup> family of products - includes disinfectable panels. suspension systems, and trim
- · Compatible with TechZone® Ceiling Systems
- · Made in the U.S.A. of domestic and global content
- · Build America, Buy America (BABA) Act compliant
- · 30-Year Limited System Warranty against visible sag, mold, and mildew

COLORS Due to printing limitations, shade may vary from actual product.

### Standard Wood-look Visuals (9/16" Square Tegular)



Brown Sugar Walnut





















Made-to-order Wood-look Visuals



Bourbon

Walnut

Cherry (WBC)

9/16" Square Tegular - 1 Ctn. Min Order Qty in Standard Sizes 15/16" Square Tegular and Square Lay-in - 1,000 SF Min Order Qty 1,000 SF Min Order Qty. All quotes must be sent to ABPspecials@armstrongceilings.com

All Wood-look Visuals are available Made-to-order in 15/16" Square Lay-in. 1,000 SF Min Order Qty. All quotes must be sent to ABPspecials@armstrongceilings.com



Lyra PB Square Tegular, Brown Sugar Walnut with color-coordinated painted edges



with Plant-based Binder

Tegular and Square Lay-In - Wood Looks smooth texture







Calculate sustainability with Ecomedes armstrongceilings.com/ecomedes

LOCATION DEPENDENT

STANDARD WOOD-LOOK VISUALS (9/16" Square Tegular) Color-coordinated painted tegular panel edges and recommended standard Supraffine XL Suspension System colors shown below.



Brown Sugar Walnut (WBS)





in Black (BL)



Toffee Chestnut (WTC)



Suprafine XL Suspension System in Oat (SOT)



Vanilla Ash (WVA)



Suprafine XL Suspension System in Hay (SHY)



Honey Oak (WHO)



Suprafine XL Suspension Syste in Hay (SHY)

MADE-TO-ORDER WOOD-LOOK VISUALS (Available in 9/16" & 15/16" Square Tegular)
1.000 SF minimum order quantity. Color-coordinated painted tegular panel edges and recommended standard Suprafine XL Suspension System colors shown below.



Coconut Birch (WCB)



Suprafine XL Suspension System in Ivory (IV)



Earl Grey Teak (WGT)





Suprafine XL Suspension System in Grey Stone (GS)



Bourbon Cherry (WBC)

RECOMMENDED CUSTOM SUSPENSION SYSTEM COLORS



Suprafine XL Suspension System in Black (BL)



Dark Mocha Walnut (WMW)



(SW6083)

Suprafine XL Suspension System in Black (BL)



Suprafine XL suspension system in SW6083





Suprafine XL suspension system in SW6083



Suprafine XL suspension system in SW7705



Custom Suspension System Colors Available



# LYRA® PB

with Plant-based Binder

Tegular and Square Lay-In - Wood Looks







smooth texture

VISUAL SELECTION			PERFO	RMANCE	SELE	CTION	Dots re	present	high level	\$\$\$\$					
armstrongceilings. com/suspdwgs	Susp. Dwg.	Item No.		Dimensions (Inches)	UL Class Acous	ssified stics	Total Acoustics¹	Articulation Class	Fire Performance	Anti-Mold/ golg Mildew so-oig	Sag Resistant Resistant	Certified Low VOC Emissions	CleanAssure** Disinfectable Panels	DURABILITY	30-Yr Warranty
LYRA® with Plant-based Binder Wood-look Visuals	26, 43, 47, 51, 55	8361PBWBS 8361PBWTC 8361PBWVA 8361PBWHO	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak	24 × 24 × 1"	0.95	N/A	N/A	190	Class A	•	•	٠	0	•	0
9/16" Square Tegular		8361PBWGT <sup>†</sup> 8361PBWCB <sup>†</sup> 8361PBWBC <sup>†</sup> 8361PBWMW <sup>†</sup>	Earl Grey Teak Coconut Birch Bourbon Cherry Dark Mocha Walnut	24 × 24 × 1"	0.95	N/A	N/A	190	Class A	•	٠	•	۰	•	0
		8357PBWBS 8357PBWTC 8357PBWVA 8357PBWHO	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak	24 × 48 × 1"	0.95	N/A	N/A	190	Class A	٠	٠	•	٠	0	•
		8357PBWGT <sup>†</sup> 8357PBWCB <sup>†</sup> 8357PBWBC <sup>†</sup> 8357PBWMW <sup>†</sup>	Earl Grey Teak Coconut Birch Bourbon Cherry Dark Mocha Walnut	24 × 48 × 1"	0.95	N/A	N/A	190	Class A	٠	•	٠	•	0	•
		8365PBWBS 8365PBWTC 8365PBWVA 8365PBWHO	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak	24 × 60 × 1"	0.95	N/A	N/A	190	Class A	٠	•	•	•	•	0
		8365PBWGT <sup>†</sup> 8365PBWCB <sup>†</sup> 8365PBWBC <sup>†</sup> 8365PBWMW <sup>†</sup>	Earl Grey Teak Coconut Birch Bourbon Cherry Dark Mocha Walnut	24 × 60 × 1"	0.95	N/A	N/A	190	Class A	٠	٠	٠	٠	•	0
		8381PBWBS 8381PBWTC 8381PBWVA 8381PBWHO	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak	24 × 72 × 1"	0.95	N/A	N/A	190	Class A	٠	٠	٠	٠	•	0
		8381PBWGT <sup>†</sup> 8381PBWCB <sup>†</sup> 8381PBWBC <sup>†</sup> 8381PBWMW <sup>†</sup>	Earl Grey Teak Coconut Birch Bourbon Cherry Dark Mocha Walnut	24 × 72 × 1"	0.95	N/A	N/A	190	Class A	٠	•	•	۰	•	0
		8382PBWBS 8382PBWTC 8382PBWVA 8382PBWHO	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak	24" x 96 × 1"	0.95	N/A	N/A	190	Class A	٠	•	٠	۰	•	0
		8382PBWGT <sup>†</sup> 8382PBWCB <sup>†</sup> 8382PBWBC <sup>†</sup> 8382PBWMW <sup>†</sup>	Earl Grey Teak Coconut Birch Bourbon Cherry Dark Mocha Walnut	24" x 96 × 1"	0.95	N/A	N/A	190	Class A	٠	•	٠	۰	•	0
		8359PBWBS 8359PBWTC 8359PBWVA 8359PBWHO	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak	30 × 30 × 1"	0.95	N/A	N/A	190	Class A	٠	•	•	•	•	0
		8359PBWGT <sup>†</sup> 8359PBWCB <sup>†</sup> 8359PBWBC <sup>†</sup> 8359PBWMW <sup>†</sup>	Earl Grey Teak Coconut Birch Bourbon Cherry Dark Mocha Walnut	30 × 30 × 1"	0.95	N/A	N/A	190	Class A	•	٠	۰	۰	0	•



<sup>†</sup> Made-to-order item. 1,000 SF minimum order quantity applies. Available in 9/16" and 15/16" Square Tegular.
† Total Acoustics® ceiling panels have an ideal combination of sound absorption and sound blocking in one product.

# LYRA® PB

with Plant-based Binder

Tegular and Square Lay-In - Wood Looks smooth texture





Declare.

RECYCLED

CONTENT

Calculate sustainability with Ecomedes armstrongceilings.com/ecomedes

LOCATION DEPENDENT

VISUAL SELECTION

PERFORMANCE SELECTION Dots represent high level of performance.

\$\$\$\$

	Susp Dwg.	Item No.	Dimensions (Inches)	UL Class Acous	sified	Total Acoustics¹	(1) Articulation Class	Fire Performance		Sag Resistant Resistant	Certified Low VOC Emissions	CleanAssure** Disinfectable Panels  BO L	DURABILITY dynamics of the state of the stat	30-Yr Warranty
LYRA® with Plant-based Binder Wood-look Visuals	26, 43, 47, 51,	8356PBWBS Walnut Brown Sugar 8356PBWTC Toffee Chestnut 8356PBWVA Vanilla Ash 8356PBWHO Honey Oak	r 48 × 48 × 1"	0.95	N/A	N/A	190	Class A	٠	٠	٠	0	۰	•
9/16" Square Tegular		8356PBWGT† Earl Grey Teak 8356PBWGB† Coconut Birch 8356PBWBC† Bourbon Cherry 8356PBWMW† Dark Mocha Walnut	48 × 48 × 1"	0.95	N/A	N/A	190	Class A	٠	٠	٠	۰	0	•
		1" Thick - 15/16" & 9/16" Square Te	gular											
Made- to-Order Sizes and Colors for Wood-look Panels  Made- WEEKS Order to ship		6-1/16" - 24" 9" - 24-1/16" - 29-15/16" 24-1/16" -	- 72" - 96"	N/A	N/A	N/A	N/A	Class A	•	٠	٠	۰	•	•
Questions? email Techline@armstro	ongcei	•												
Wood looks are not available via the All Lyra PB Square Lay-In Wood-look														
rui Lyiu i D oquaio Lay III 11000 100		3 410 111440 10 01401												

### ACCESSORIES (must be ordered separately)

435



Stabilizer Clip (3/4" & 1") Recommended for panels 60" and greater in length NOTE: Panels 60" up to 96" – One clip near midpoint of each long edge. Panels 96" and over Two clips at 1/3 points of each long edge.

7870



Spring Border Clip

(For installations with the panel resting on the wall molding)

### SUSPENSION SYSTEMS

15/16 Prelude® XL®









### PHYSICAL DATA

Fiberglass with plant-based binder and acoustically transparent membrane

# Surface Finish

Acoustically transparent membrane with factory-applied latex paint.

# Fire Performance

Class A: ASTM E84 and CAN/ULC S102 surface burning characteristics. Flame Spread Index of 25 or less. Smoke Developed Index of 50 or less.

### ASTM E1264 Classification Type B, Form B2, Pattern G

Fire Class A

Humidity/Sag Resistance HumiGuard® Plus ceiling panels are recommended for areas subject to high humidity, up to, but not including, standing water and outdoor applications.

### Anti-Mold/Mildew

Ceiling tiles with BioBlock® performance resist the growth of mold and mildew on the tile surface.

## High Recycled Content

Classified as containing greater than 50% total recycled content. Total recycled content based on produced composition of post-consumer and pre-consumer (post-industrial) recycled content per FTC guidelines.

Third-party certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017. This standard is the guideline for low emissions in LEED\*, WELL Building Standard\*, Living Building Challenge\* (LBC), CalGreen Title 24, ANSI/ASHRAE/USGBC/IES Standard 189; ANSI/GBI Green Building Assessment Protocol.

### Insulation Value

R Factor - 4.4 (BTU units); R Factor - 0.70 (Watts units)

### **Design Consideration**

Physical product samples for standard colors are available upon request. Please refer to the physical product sample prior to making a final selection. While we strive to ensure exact color matches, various factors such as differences in materials, texture, substrate porosity, painting processes, lighting, and observe subjectivity can all affect how paint colors appear on ceiling and wall panels, suspension systems, and trim products.

Due to these and other differences, ceiling and wall panels, trim products, and suspension systems with the same color name will coordinate but may not be an exact color match. Product is dye-lotted. Order sufficient initial quantities and attic stock to minimize possible color variation.

# Design Consideration: Wood-Look Panels

All wood-look panels are produced with wood grain parallel to the panel length. Wood-look visuals are not dye-lotted, but are designed to mimic slight color variations as seen in real wood.

Cleaning and Disinfecting Cleaning and CDC-recommended disinfecting options available on armstrongceilings.com/cleaning

30-Year Performance Guarantee & Warranty When installed with Armstrong® Suspension System. Details at armstrongceilings.com/warranty

### Weight; Square Feet/Carton

8356PB - 0.46 LBS/SF; 96 SF/CTN 8361PB - 0.50 LBS/SF; 48 SF/CTN 8357PB - 0.46 LBS/SF; 96 SF/CTN 8365PB - 0.50 LBS/SF; 100 SF/CTN 8381PB - 0.50 LBS/SF; 72 SF/CTN 8382PB - 0.50 LBS/SF; 96 SF/CTN 8359PB - 0.46 LBS/SF; 75 SF/CTN 8461PB - 0.44 LBS/SF; 70 SF/CTN

Minimum Order Quantity 1 carton for all standard items in 9/16" Square Tegular 1,000 SF minimum order quantities apply to wood-look visuals WGT, WCB, WBC, WMW, and made-to-order sizes (including 15/16" Tegular and Square Lay-In) in all wood-look visuals.



Made-to-order item. 1,000 SF minimum order quantity applies. Available in 9/16" and 15/16" Square Tegular.
Total Acoustics® ceiling panels have an ideal combination of sound absorption and sound blocking in one product.