


- 1) NRC EST. .85?
- 2) THERMAL BARRIER NOT REQUIRED (NO FOAM PLASTICS)




1

ACOUSTICAL STEEL DECK - AS TESTED

Scale: N.T.S.

- 1) NRC EST. .60?
- 2) CODE VIOLATION
- 3) NO THERMAL BARRIER OR ALT. TESTS




2

ACOUSTICAL STEEL DECK - TYPICAL INSTALLATION

Scale: N.T.S.

- 1) NRC EST. .35
- 2) MEETS CODE REQUIREMENTS



3

ACOUSTICAL STEEL DECK - CODE COMPLIANT

Scale: N.T.S.

These drawings show typical conditions in which the Armstrong product depicted is installed. They are not a substitute for an architect's or engineer's plan and do not reflect the unique requirements of local building codes, laws, statutes, ordinances, rules and regulations (Legal Requirements) that may be applicable for a particular installation.

Armstrong does not warrant, and assumes no liability for the accuracy or completeness of the drawings for a particular installation or their fitness for a particular purpose. The user is advised to consult with a duly licensed architect or engineer in the particular locale of the installation to assure compliance with all Legal Requirements.

Armstrong is not licensed to provide professional architecture or engineering design services.

PROJECT NAME:

ACOUSTICAL STEEL DECK

DATE: 10-19-17

SCALE: N.T.S.

PROJECT NO.: XXX

DRAWN BY: KBD

PROJECT MNGR: XXX

SHEET

REV:

DATE:

DESC.: 2038 - ACOUSTICAL STEEL DECK

REV:

DATE:

SK1
1 OF 1

