


SECTION	ON CENTER SPACING (IN)	GYPSUM BOARD	MAXIMUM SPAN (FT, IN)	MAXIMUM FIXTURE WEIGHT (LBS)
SHORTSPAN	16	ONE(1) LAYER 5/8"	8'0"	5
	16	ONE(1) LAYER 5/8"	7'0"	15
	16	TWO(2) LAYER 5/8"	6'0"	7.5
	24	ONE(1) LAYER 5/8"	7'0"	5
	24	ONE(1) LAYER 5/8"	6'0"	15
SHORTSPAN I-BEAM	16	ONE(1) LAYER 5/8"	8'6"	40
	16	TWO(2) LAYER 5/8"	8'6"	20
	24	ONE(1) LAYER 5/8"	7'6"	40
	24	TWO(2) LAYER 5/8"	7'6"	20

GENERAL NOTES FOR STANDARD CEILING SYSTEMS:

- INSTALL PER ASTM C754 AND PRODUCT INSTALLATION INSTRUCTIONS
- CONSULT YOUR LOCAL BUILDING CODE FOR ADDITIONAL REQUIREMENTS OUTSIDE OF THE ARMSTRONG INSTALLATION INSTRUCTIONS. THIS INCLUDES BUT IS NOT LIMITED TO BRACING OF TRANSITIONS, AND ADDITIONAL SEISMIC REQUIREMENTS.
- FIELD VERIFY ALL CONDITIONS AND DIMENSIONS.
- LIGHT FIXTURE LOADS ASSUMED TO BE SUPPORTED BETWEEN TWO FRAMING MEMBERS SPACED 24" O.C. MAX.



These drawings show typical conditions in which the Armstrong product depicted is installed. They are not a substitute for an architect's or engineer's plan and do not reflect the unique requirements of local building codes, laws, statutes, ordinances, rules and regulations (Legal Requirements) that may be applicable for a particular installation.

Armstrong Ceiling Solutions does not warrant, and assumes no liability for the accuracy or completeness of the drawings for a particular installation or their fitness for a particular purpose.

The user is advised to consult with a duly licensed architect or engineer in the particular locale of the installation to assure compliance with all Legal Requirements.

Armstrong is not licensed to provide professional architecture or engineering design services.

PROJECT NAME:		LIGHT FIXTURES IN SHORTSPAN	
DWG. NO. DETAILS	REV.:	DATE:	
DATE: 1/25/17	SCALE:	DESC.:	
DRAWN BY: MAP	CHK BY:		